



## MarinTrust Standard V2

# By-product Fishery Assessment *CIV02 Skipjack Tuna in FAO Areas 34 & 47 (Eastern Atlantic)*

**MarinTrust Programme**

Unit C, Printworks

22 Amelia Street

London

SE17 3BZ

E: [standards@marin-trust.com](mailto:standards@marin-trust.com)

T: +44 2039 780 819

**Table 1 Application details and summary of the assessment outcome**

Fishery Under Assessment	Species:	Skipjack tuna ( <i>Katsuwonus pelamis</i> )
	Geographical area:	FAO Major Fishing Areas: 34 Atlantic, Eastern Central 47 Atlantic, Southeast
	Country of origin of the product:	Côte d'Ivoire
	Stock:	Eastern Atlantic skipjack
Date	March 2023	
Report Code	CIV02	
Assessor	Sam Peacock	
Country of origin of the product - PASS	Côte d'Ivoire	
Country of origin of the product - FAIL	None	

Application details and summary of the assessment outcome			
Company Name(s): Marine Biotechnology Products Côte d'Ivoire			
Country: Côte d'Ivoire			
Email address:		Applicant Code:	
Certification Body Details			
Name of Certification Body:		LRQA	
Assessor	Peer Reviewer	Assessment Days	Initial/Surveillance/ Re-approval
Sam Peacock	Sam Dignan	0.2	Re-approval
Assessment Period	March 2023 – March 2024		

Scope Details	
Main Species	Skipjack tuna ( <i>Katsuwonus pelamis</i> )
Stock	East Atlantic skipjack
Fishery Location	FAO Areas 34 & 47
Management Authority (Country/ State)	International Commission for the Conservation of Atlantic Tunas (ICCAT)
Gear Type(s)	Longline, pole and line, purse seine
Outcome of Assessment	
Peer Review Evaluation	PASS
Recommendation	

**Table 2. Assessment Determination**

<b>Assessment Determination</b>
<p>Skipjack tuna has been categorised by the IUCN as a species of Least Concern, and does not appear in the CITES appendices. Eastern Atlantic skipjack is managed by the International Commission for the Conservation of Atlantic Tunas (ICCAT) relative to a target reference point (<math>B_{MSY}</math>), and was therefore assessed under Category C.</p> <p>The most recent stock assessment for Eastern Atlantic skipjack was conducted in 2022 using catch data up to and including 2020. Although the results produced a large potential range of biomass estimates, the stock is considered to be not overfished and not subject to overfishing with a high probability (78%). As biomass is likely to be above the target reference point, it is very likely to be above any potential limit reference point. Overall the byproduct meets the MT requirements and should be approved for use as a raw material.</p>
<b>Fishery Assessment Peer Review Comments</b>
<p>Based on the evidence presented herein and examination of the latest assessment of the target stock, the byproduct meets relevant MarinTrust requirements and should be re-approved for use as a raw material.</p>
<b>Notes for On-site Auditor</b>

## Species Categorisation

**NB:** If any species is categorised as Endangered or Critically Endangered on the IUCN Red List, or if it appears in CITES Appendix 1, it **cannot** be approved for use as a MarinTrust raw material.

### IUCN Red list Category

By-product material from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for the following categories shall immediately fail the assessment;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

By-product material may be used from the following categories provided that all clauses in the MarinTrust standard are passed.

- VULNERABLE (VU) facing a high risk of extinction in the wild.
- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.
- DATA DEFICIENT (DD) and NOT EVALUATED (NE)

## Table 3 Species Categorisation Table

Common name	Latin name	Stock	Management	Category	IUCN Red List Category <sup>1</sup>	CITES Appendix 1 <sup>2</sup>
Skipjack tuna	<i>Katsuwonus pelamis</i>	Eastern Atlantic skipjack tuna	Yes	C	Least Concern <sup>3</sup>	No

<sup>1</sup> <https://www.iucnredlist.org/>

<sup>2</sup> <https://cites.org/eng/app/appendices.php>


<sup>3</sup> <https://www.iucnredlist.org/species/170310/46644566>

## CATEGORY C SPECIES

In a by-product assessment, Category C species are those which are subject to a species-specific management regime and are usually targeted species in fisheries for human consumption.

Clause C1 should be completed for each Category C species. If there are no Category C species in the fishery under assessment, this section can be deleted. Where a species fails this Clause, it should be assessed as a Category D species instead.

Species Name		Skipjack tuna	
C1	Category C Stock Status - Minimum Requirements		
	C1.1	Fishery removals of the species in the fishery under assessment are included in the stock assessment process, OR are considered by scientific authorities to be negligible.	PASS
	C1.2	The species is considered, in its most recent stock assessment, to have a biomass above the limit reference point (or proxy), OR removals by the fishery under assessment are considered by scientific authorities to be negligible.	PASS
			Clause outcome: PASS
<p><b>C1.1 Fishery removals of the species in the fishery under assessment are included in the stock assessment process, OR are considered by scientific authorities to be negligible.</b></p> <p>The most recent stock assessment conducted for Eastern Atlantic skipjack tuna was carried out in 2022, applying non-equilibrium and Bayesian state-space production models to integrated statistical assessment models using the available catch data up to and including 2020 (ICCAT 2022). Multiple models were used to represent potential population dynamic scenarios, and to account for uncertainty in outputs. The ICCAT stock assessment group decided to combine the results of several models to capture all major uncertainties. Despite this, there was a high degree of uncertainty in the resultant estimates of stock biomass; however, the group were able to produce management advice and have made several recommendations for the improvement of future stock assessments. Overall, the assessor considers C1.1 to be met.</p> <p><b>C1.2 The species is considered, in its most recent stock assessment, to have a biomass above the limit reference point (or proxy), OR removals by the fishery under assessment are considered by scientific authorities to be negligible.</b></p> <p>The 2022 stock assessment of Eastern Atlantic skipjack tuna concluded that there was a 78% probability that the stock is neither overfished nor subject to overfishing (ICCAT 2022). Relative biomass (<math>B_{2020}/B_{MSY}</math>) was estimated to be 1.60, although the assessment produced a wide 95% confidence interval (0.50 – 5.79). However, as the biomass is likely to be above the target reference point, it is highly likely to be above any potential limit reference point, and C1.2 is met.</p>			



Combined Kobe phase plot for the various models performed for Eastern Atlantic skipjack tuna in 2022. The blue point shows the median of 180,000 iterations for  $SSB_{2020}/SSB_{MSY}$  or  $B_{2020}/B_{MSY}$  and  $F_{2020}/F_{MSY}$  for the entire set of runs in the grid. Grey points represent the 2020 estimates of relative fishing mortality and relative spawning stock biomass for 2020 for each of the 180,000 iterations. The upper graph represents the smoothed frequency distribution of  $SSB_{2020}/SSB_{MSY}$  or  $B_{2020}/B_{MSY}$  estimates for 2020.

The right graph represents the smoothed frequency distribution of  $F_{2020}/F_{MSY}$  estimates for 2020. The inserted pie graph represents the percentage of each 2020 estimate that fall in each quadrant of the Kobe plot (ICCAT 2022).

**References**

ICCAT (2022). Species executive summary, skipjack tuna. [https://www.iccat.int/Documents/SCRS/ExecSum/SKJ\\_ENG.pdf](https://www.iccat.int/Documents/SCRS/ExecSum/SKJ_ENG.pdf)

**Links**

<b>MarinTrust Standard clause</b>	1.3.2.2
<b>FAO CCRF</b>	7.5.3
<b>GSSI</b>	D.3.04, D5.01

## CATEGORY D SPECIES

Category D species are those which are not subject to a species-specific management regime. In the case of mixed trawl fisheries, Category D species may make up the majority of landings. The comparative lack of scientific information on the status of the population of the species means that a risk-assessment style approach must be taken.

<b>D1</b>	<b>Species Name</b>	n/a	
	<b>Productivity Attribute</b>	<b>Value</b>	<b>Score</b>
	Average age at maturity (years)		
	Average maximum age (years)		
	Fecundity (eggs/spawning)		
	Average maximum size (cm)		
	Average size at maturity (cm)		
	Reproductive strategy		
	Mean trophic level		
	<b>Average Productivity Score</b>		
	<b>Susceptibility Attribute</b>	<b>Value</b>	<b>Score</b>
	Availability (area overlap)		
	Encounterability (the position of the stock/species within the water column relative to the fishing gear)		
	Selectivity of gear type		
	Post-capture mortality		
	<b>Average Susceptibility Score</b>		
	<b>PSA Risk Rating (From Table D3)</b>		
	<b>Compliance rating</b>		
	<b>Further justification for susceptibility scoring (where relevant)</b> <i>For susceptibility attributes, please provide a brief rationale for scoring of parameters where there may be uncertainty affecting your decision</i>		
	<b>References</b>		
Standard clauses 1.3.2.2			

Table D2 - Productivity / Susceptibility attributes and scores.

Productivity attributes	High productivity (Low risk, score = 1)	Medium productivity (medium risk, score = 2)	Low productivity (high risk, score = 3)
Average age at maturity	<5 years	5-15 years	>15 years
Average maximum age	<10 years	10-25 years	>25 years
Fecundity	>20,000 eggs per year	100-20,000 eggs per year	<100 eggs per year
Average maximum size	<100 cm	100-300 cm	>300 cm
Average size at maturity	<40 cm	40-200 cm	>200 cm
Reproductive strategy	Broadcast spawner	Demersal egg layer	Live bearer
Mean Trophic Level	<2.75	2.75-3.25	>3.25

Susceptibility attributes	Low susceptibility (Low risk, score = 1)	Medium susceptibility (medium risk, score = 2)	High susceptibility (high risk, score = 3)
Areal overlap (availability) Overlap of the fishing effort with the species range	<10% overlap	10-30% overlap	>30% overlap
Encounterability The position of the stock/species within the water column relative to the fishing gear, and the position of the stock/species within the habitat relative to the position of the gear	Low overlap with fishing gear (low encounterability).	Medium overlap with fishing gear.	High overlap with fishing gear (high encounterability). Default score for target species
Selectivity of gear type Potential of the gear to retain species	a Individuals < size at maturity are rarely caught	a Individuals < size at maturity are regularly caught.	a Individuals < size at maturity are frequently caught
	b Individuals < size at maturity can escape or avoid gear.	b Individuals < half the size at maturity can escape or avoid gear.	b Individuals < half the size at maturity are retained by gear.
Post-capture mortality (PCM) The chance that, if captured, a species would be released and that it would be in a condition permitting subsequent survival	Evidence of majority released post-capture and survival.	Evidence of some released post-capture and survival.	Retained species or majority dead when released.



D3		Average Susceptibility Score		
		1 - 1.75	1.76 - 2.24	2.25 - 3
Average Productivity Score	1 - 1.75	PASS	PASS	PASS
	1.76 - 2.24	PASS	PASS	TABLE D4
	2.25 - 3	PASS	TABLE D4	TABLE D4

D4 Species Name			
<b>Impacts On Species Categorised as Vulnerable by D1-D3 - Minimum Requirements</b>			
D4.1	The potential impacts of the fishery on this species are considered during the management process, and reasonable measures are taken to minimise these impacts.		
D4.2	There is no substantial evidence that the fishery has a significant negative impact on the species.		
			<b>Outcome:</b>
<b>Evidence</b>			
D4.1: The potential impacts of the fishery on this species are considered during the management process, and reasonable measures are taken to minimise these impacts.			
D4.2 There is no substantial evidence that the fishery has a significant negative impact on the species.			
<b>References</b>			
<b>Links</b>			
MarinTrust Standard clause		1.3.2.2, 4.1.4	
FAO CCRF		7.5.1	
GSSI		D.5.01	